


# AD 825

Doosan  
Mecc Alte  
D+ &



<b>ISO8528</b>	GC, ) &
<b>SZUTEST</b>	GC - \$\$\$
<b>CE</b>	

**2000/14/EC**

&\$\$\$#( #

z) \$' z' \$z' D:

	"	"	"	"	Amp
400/230	825,00	660,00	750,00	600,00	1083,00

fP GDE' GC, ) &

fDF D' % \$! % % & GC' \$(\* z&( GC

**Standard Specifications**

z

fl ! E

z

z

fl ! E

z

**ALTERNATOR**

D: A Ž 5J F

fl ! E

fl ! E

**TRANSFER SWITCH**

fl ! E

# AD 825

Doosan  
Mecc Alte  
D+' &'

Manufacturer	Doosan		
Model	DP222LC		
		%\$\$' "# "	
		+&' \$\$\$' "	
		G* - \$\$\$<DQ	
	L	21,927	
	"	128 x 142	
		15,0:1	
	fl # 7	"# "	1500
	fl 7	L	40,00
		L	134,80
AbsorbedAirDischargeReSourceKey.Text	' # "	45,00	
	' # "	860,00	
fl ' # 7	' # "	108,00	
	° C	502,00	
		24 V d.c.	
	Load	%\$\$i	'+) i
	# "	) \$i	
		161,00	119,10 79,30

	Mecc Alte		
	ECO 40-VL/4		
	Hz	50	
	"	750,00	
7cg'		0,80	
		3	
	fl 7	400/230	
	A	1083,00	


		fl 7		fl 7	
	"	"	"	"	L
AD 825		3630,00	1550,00	2301,00	1000,00
		fl 7		fl 7	
	"	"	"	"	L
MS 85	5535	5297	1606	2656	1000





# AD 825

Doosan  
Mecc Alte  
D+ & "



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set.
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 in front and back side special large access doors for easy maintenance
- 9 Base frame -fuel tank.
- 10 Lifting points similar to ISO container , located on each top corner of the canopy
- 11 the canopy provides easy access to radiator cap.
- 12 sound proofing materials
- 13 Plastic air intake pockets.

	"	1606
fl "L	"	5297
fl "L	"	2656
	L	1000